| City of Fresno—Fresno Southeast Developme<br>Draft Program EIR | ent Area Specific Plan Project              |
|--|---|
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  | Appendix C                                  |
|  | Biological Resources Supporting Information |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |



| City of Fresno—Fresno Southeast Development<br>Draft Program EIR | Агеа Ѕресіліс Ріап Ргојест                          |
|--|---|
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  | C.1 - California Natural Diversity Database Results |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |





#### **Selected Elements by Scientific Name**

## California Department of Fish and Wildlife California Natural Diversity Database



**Query Criteria:** 

 $\label{lem:quad-span} $$\operatorname{Quad-span} = \operatorname{color}: Red'> IS </\operatorname{span}>(Malaga~(3611966)<\operatorname{span} style='color: Red'> OR </\operatorname{span}>\operatorname{Sanger}~(3611965)<\operatorname{span} style='color: Red'> OR </\operatorname{span}>\operatorname{Clovis}~(3611976))$$$ 

| Species   | Element Code | Federal Status | State Status | Global Rank | State Rank | Rare Plant<br>Rank/CDFW<br>SSC or FP |
|---|--------------|----------------|--------------|-------------|------------|--------------------------------------|
| Species Agelaius tricolor   | ABPBXB0020   | None None      | Threatened   | G1G2        | S1S2       | SSC                                  |
| tricolored blackbird  | ABI BABOOZO  | None           | Tilleaterieu | 0102        | 0102       | 000                                  |
| Ambystoma californiense pop. 1                                      | AAAAA01181   | Threatened     | Threatened   | G2G3T3      | S3         | WL                                   |
| California tiger salamander - central California DPS                |              |                |              |             |            |                                      |
| Anniella pulchra  Northern California legless lizard                | ARACC01020   | None           | None         | G3          | S3         | SSC                                  |
| Arizona elegans occidentalis  California glossy snake               | ARADB01017   | None           | None         | G5T2        | S2         | SSC                                  |
| Athene cunicularia burrowing owl                                    | ABNSB10010   | None           | None         | G4          | S3         | SSC                                  |
| Bombus crotchii Crotch bumble bee                                   | IIHYM24480   | None           | None         | G2          | S1S2       |                                      |
| Branchinecta lynchi vernal pool fairy shrimp                        | ICBRA03030   | Threatened     | None         | G3          | S3         |                                      |
| Branchinecta mesovallensis midvalley fairy shrimp                   | ICBRA03150   | None           | None         | G2          | S2S3       |                                      |
| Buteo swainsoni<br>Swainson's hawk                                  | ABNKC19070   | None           | Threatened   | G5          | S3         |                                      |
| Carex comosa bristly sedge  | PMCYP032Y0   | None           | None         | G5          | S2         | 2B.1                                 |
| Castilleja campestris var. succulenta succulent owl's-clover        | PDSCR0D3Z1   | Threatened     | Endangered   | G4?T2T3     | S2S3       | 1B.2                                 |
| Caulanthus californicus  California jewelflower                     | PDBRA31010   | Endangered     | Endangered   | G1          | S1         | 1B.1                                 |
| Coccyzus americanus occidentalis western yellow-billed cuckoo       | ABNRB02022   | Threatened     | Endangered   | G5T2T3      | S1         |                                      |
| Desmocerus californicus dimorphus valley elderberry longhorn beetle | IICOL48011   | Threatened     | None         | G3T2T3      | S3         |                                      |
| Efferia antiochi Antioch efferian robberfly                         | IIDIP07010   | None           | None         | G1G2        | S1S2       |                                      |
| Emys marmorata western pond turtle                                  | ARAAD02030   | None           | None         | G3G4        | S3         | SSC                                  |
| Eryngium spinosepalum spiny-sepaled button-celery                   | PDAPI0Z0Y0   | None           | None         | G2          | S2         | 1B.2                                 |
| Imperata brevifolia California satintail                            | PMPOA3D020   | None           | None         | G4          | S3         | 2B.1                                 |
| Lagophylla dichotoma<br>forked hare-leaf                            | PDAST5J070   | None           | None         | G2          | S2         | 1B.1                                 |



### **Selected Elements by Scientific Name**

# California Department of Fish and Wildlife California Natural Diversity Database



|                              |              |                |              |             |            | Rare Plant<br>Rank/CDFW |
|------------------------------|--------------|----------------|--------------|-------------|------------|-------------------------|
| Species                      | Element Code | Federal Status | State Status | Global Rank | State Rank | SSC or FP               |
| Leptosiphon serrulatus       | PDPLM09130   | None           | None         | G3          | S3         | 1B.2                    |
| Madera leptosiphon           |              |                |              |             |            |                         |
| Linderiella occidentalis     | ICBRA06010   | None           | None         | G2G3        | S2S3       |                         |
| California linderiella       |              |                |              |             |            |                         |
| Lytta molesta                | IICOL4C030   | None           | None         | G2          | S2         |                         |
| molestan blister beetle      |              |                |              |             |            |                         |
| Metapogon hurdi              | IIDIP08010   | None           | None         | G1G2        | S1S2       |                         |
| Hurd's metapogon robberfly   |              |                |              |             |            |                         |
| Nannopterum auritum          | ABNFD01020   | None           | None         | G5          | S4         | WL                      |
| double-crested cormorant     |              |                |              |             |            |                         |
| Northern Hardpan Vernal Pool | CTT44110CA   | None           | None         | G3          | S3.1       |                         |
| Northern Hardpan Vernal Pool |              |                |              |             |            |                         |
| Phrynosoma blainvillii       | ARACF12100   | None           | None         | G3G4        | S3S4       | SSC                     |
| coast horned lizard          |              |                |              |             |            |                         |
| Pseudobahia peirsonii        | PDAST7P030   | Threatened     | Endangered   | G1          | S1         | 1B.1                    |
| San Joaquin adobe sunburst   |              |                |              |             |            |                         |
| Sagittaria sanfordii         | PMALI040Q0   | None           | None         | G3          | S3         | 1B.2                    |
| Sanford's arrowhead          |              |                |              |             |            |                         |
| Spea hammondii               | AAABF02020   | None           | None         | G2G3        | S3         | SSC                     |
| western spadefoot            |              |                |              |             |            |                         |
| Taxidea taxus                | AMAJF04010   | None           | None         | G5          | S3         | SSC                     |
| American badger              |              |                |              |             |            |                         |
| Tuctoria greenei             | PMPOA6N010   | Endangered     | Rare         | G1          | S1         | 1B.1                    |
| Greene's tuctoria            |              |                |              |             |            |                         |
| Vireo bellii pusillus        | ABPBW01114   | Endangered     | Endangered   | G5T2        | S2         |                         |
| least Bell's vireo           |              |                |              |             |            |                         |
| Vulpes macrotis mutica       | AMAJA03041   | Endangered     | Threatened   | G4T2        | S2         |                         |
| San Joaquin kit fox          |              |                |              |             |            |                         |

**Record Count: 33** 

| City of Fresno—Fresno Southeast Develop<br>Draft Program EIR | pment Area Specific Pian Project                       |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  | C.2 - California Native Plant Society Inventory Result |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |



### **CNPS Rare Plant Inventory**



### **Search Results**

4 matches found. Click on scientific name for details

Search Criteria: <u>CRPR</u> is one of [1A:1B:2A:2B] <u>Fed List</u> is one of [FE:FT:FC] or <u>State List</u> is one of [CE:CT:CR:CE:CT], <u>Quad</u> is one of [3611965:3611976:3611975]

| ▲ SCIENTIFIC<br>NAME   | COMMON<br>NAME             | FAMILY        | LIFEFORM                       | BLOOMING<br>PERIOD | FED<br>LIST | STATE<br>LIST | GLOBAL<br>RANK | STATE<br>RANK | CA RARE<br>PLANT<br>RANK | РНОТО                |
|--|----------------------------|---------------|--------------------------------|--------------------|-------------|---------------|----------------|---------------|--------------------------|----------------------|
| <u>Castilleja</u><br><u>campestris var.</u><br><u>succulenta</u> | succulent<br>owl's-clover  | Orobanchaceae | annual herb<br>(hemiparasitic) | (Mar)Apr-<br>May   | FT          | CE            | G4?T2T3        | S2S3          | 1B.2                     | No Photo             |
| <u>Caulanthus</u><br><u>californicus</u>                         | California<br>jewelflower  | Brassicaceae  | annual herb                    | Feb-May            | FE          | CE            | G1             | S1            | 1B.1                     | No Photo             |
| <u>Pseudobahia</u><br>peirsonii                                  | San Joaquin adobe sunburst | Asteraceae    | annual herb                    | Feb-Apr            | FT          | CE            | G1             | S1            | 1B.1                     | No Phot<br>Available |
| Tuctoria greenei   | Greene's<br>tuctoria       | Poaceae       | annual herb                    | May-<br>Jul(Sep)   | FE          | CR            | G1             | S1            | 1B.1                     | ©2008 F              |

Showing 1 to 4 of 4 entries

### **Suggested Citation:**

California Native Plant Society, Rare Plant Program. 2022. Rare Plant Inventory (online edition, v9-01 1.5). Website https://www.rareplants.cnps.org [accessed 5 May 2022].

| CONTACT US                             | ABOUT THIS WEBSITE  | ABOUT CNPS                   | CONTRIBUTORS                  |
|--|---------------------|------------------------------|-------------------------------|
| Send questions and comments            | About the Inventory | About the Rare Plant Program | The Calflora Database         |
| to <u>rareplants@cnps.org</u> .        | Release Notes       | CNPS Home Page               | The California Lichen Society |
|  | Advanced Search     | About CNPS                   | California Natural Diversity  |
|  | <u>Glossary</u>     | Join CNPS                    | <u>Database</u>               |
| [incol   Developed by                  |                     |                              | The Jepson Flora Project      |
| Developed by  Rincon Consultants, Inc. |                     |                              | The Consortium of California  |
|  |                     |                              | <u>Herbaria</u>               |
|  |                     |                              | <u>CalPhotos</u>              |
|  |                     |                              |                               |

Copyright © 2010-2022 California Native Plant Society. All rights reserved.

| City of Fresno—Fresno Southeast Development Area Specific Plan Project<br>Draft Program EIR |                               |
|---|-------------------------------|
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   | C. 2. Dunits at Connaison 11. |
|   | C.3 - Project Species List    |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |
|   |                               |



Project Species List

| Scientific Name                             | Common<br>Name   | Taxonomy<br>Group | Elm Code   | Total<br>Occurances | Federal<br>Listing | California<br>Listing | G Rank  | S Rank | Rare Plant<br>Rank | Other Status  | Habitats   | General Habitat  | Micro Habitat   | Return<br>Occurances |
|---|--|-------------------|------------|---------------------|--------------------|-----------------------|---------|--------|--------------------|---|--|--|---|----------------------|
| Agelaius tricolor                           | tricolored<br>blackbird  | Birds             | ABPBXB0020 | 955                 | None               | Threatened            | G1G2    | S1S2   |                    |   | Freshwater marsh   Marsh & swamp   Swamp  <br>Wetland  | Highly colonial species, most<br>numerous in Central Valley and<br>vicinity. Largely endemic to<br>California.   | Requires open water,<br>protected nesting<br>substrate, and foraging<br>area with insect prey<br>within a few km of the<br>colony.          | 6                    |
| Ambystoma<br>californiense<br>pop. 1        | California<br>tiger<br>salamander -<br>central<br>California DPS | Amphibians        | AAAAA01181 | 1265                | Threatened         | Threatened            | G2G3T3  | S3     |                    | CDFW_WL-Watch List  <br>IUCN_VU-Vulnerable  | Cismontane woodland   Meadow & seep   Riparian<br>woodland   Valley & foothill grassland   Vernal pool  <br>Wetland  | Lives in vacant or mammal-<br>occupied burrows throughout<br>most of the year; in grassland,<br>savanna, or open woodland<br>habitats.                                       | Need underground<br>refuges, especially ground<br>squirrel burrows, and<br>vernal pools or other<br>seasonal water sources for<br>breeding. | 12                   |
| Anniella pulchra                            | Northern<br>California<br>legless lizard                         | Reptiles          | ARACC01020 | 383                 | None               | None                  | G3      | S3     |                    | CDFW_SSC-Species of Special<br>Concern   USFS_S-Sensitive   | Chaparral   Coastal dunes   Coastal scrub  | Sandy or loose loamy soils under sparse vegetation.  | Soil moisture is essential.<br>They prefer soils with a<br>high moisture content.   | 1                    |
| Arizona elegans<br>occidentalis             | California<br>glossy snake                                       | Reptiles          | ARADB01017 | 260                 | None               | None                  | G5T2    | S2     |                    | CDFW_SSC-Species of Special<br>Concern  |  | Patchily distributed from the eastern portion of San Francisco Bay, southern San Joaquin Valley, and the Coast, Transverse, and Peninsular ranges, south to Baja California. | Generalist reported from a<br>range of scrub and<br>grassland habitats, often<br>with loose or sandy soils.                                 | 1                    |
| Athene<br>cunicularia                       | burrowing owl  | Birds             | ABNSB10010 | 2011                | None               | None                  | G4      | S3     |                    | BLM_S-Sensitive   CDFW_SSC<br>Species of Special Concern  <br>IUCN_LC-Least Concern  <br>USFWS_BCC-Birds of<br>Conservation Concern                         | Coastal prairie   Coastal scrub   Great Basin grassland  <br>Great Basin scrub   Mojavean desert scrub   Sonoran<br>desert scrub   Valley & foothill grassland | Open, dry annual or perennial grasslands, deserts, and scrublands characterized by low-growing vegetation.   | Subterranean nester,<br>dependent upon<br>burrowing mammals, most<br>notably, the California<br>ground squirrel.                            | 3                    |
| Branchinecta<br>lynchi                      | vernal pool<br>fairy shrimp                                      | Crustaceans       | ICBRA03030 | 795                 | Threatened         | None                  | G3      | S3     |                    | IUCN_VU-Vulnerable  | Valley & foothill grassland   Vernal pool   Wetland  | Endemic to the grasslands of the<br>Central Valley, Central Coast<br>mountains, and South Coast<br>mountains, in astatic rain-filled<br>pools.                               | Inhabit small, clear-water<br>sandstone-depression<br>pools and grassed swale,<br>earth slump, or basalt-flow<br>depression pools.          | 9                    |
| Buteo swainsoni                             | Swainson's<br>hawk   | Birds             | ABNKC19070 | 2547                | None               | Threatened            | G5      | S3     |                    | BLM_S-Sensitive   IUCN_LC-<br>Least Concern   | Great Basin grassland   Riparian forest   Riparian<br>woodland   Valley & foothill grassland   | Breeds in grasslands with scattered trees, juniper-sage flats, riparian areas, savannahs, and agricultural or ranch lands with groves or lines of trees.                     | Requires adjacent suitable<br>foraging areas such as<br>grasslands, or alfalfa or<br>grain fields supporting<br>rodent populations.         | 2                    |
| Carex comosa                                | bristly sedge  | Monocots          | PMCYP032Y0 | 31                  | None               | None                  | G5      | S2     | 2B.1               | IUCN_LC-Least Concern   | Coastal prairie   Freshwater marsh   Marsh & swamp  <br>Valley & foothill grassland   Wetland  | Marshes and swamps, coastal prairie, valley and foothill grassland.  | Lake margins, wet places;<br>site below sea level is on a<br>Delta island5-1010 m.  | 1                    |
| Castilleja<br>campestris var.<br>succulenta | succulent<br>owl's-clover  | Dicots            | PDSCR0D3Z1 | 99                  | Threatened         | Endangered            | G4?T2T3 | S2S3   | 1B.2               |   | Vernal pool   Wetland  | Vernal pools.  | Moist places, often in acidic soils. 20-705 m.  | 2                    |
| Caulanthus<br>californicus                  | California<br>jewelflower  | Dicots            | PDBRA31010 | 67                  | Endangered         | Endangered            | G1      | S1     | 18.1               | SB_CalBG/RSABG-<br>California/Rancho Santa Ana<br>Botanic Garden   SB_SBBG-<br>Santa Barbara Botanic Garden<br>  SB_UCBG-UC Botanical<br>Garden at Berkeley | Chenopod scrub   Pinon & juniper woodlands   Valley & foothill grassland   | Chenopod scrub, valley and foothill grassland, pinyon and juniper woodland.  | Sandy soils. 65-1860 m.   | 1                    |
| Coccyzus<br>americanus<br>occidentalis      | western<br>yellow-billed<br>cuckoo                               | Birds             | ABNRB02022 | 165                 | Threatened         | Endangered            | G5T2T3  | S1     |                    | BLM_S-Sensitive  <br>NABCI_RWL-Red Watch List  <br>USFS_S-Sensitive   | Riparian forest  | Riparian forest nester, along the broad, lower flood-bottoms of larger river systems.  | Nests in riparian jungles of<br>willow, often mixed with<br>cottonwoods, with lower<br>story of blackberry, nettles,<br>or wild grape.      | 1                    |
| Desmocerus<br>californicus<br>dimorphus     | valley<br>elderberry<br>longhorn<br>beetle                       | Insects           | IICOL48011 | 271                 | Threatened         | None                  | G3T2T3  | S3     |                    |   | Riparian scrub   | Occurs only in the Central Valley<br>of California, in association with<br>blue elderberry (Sambucus<br>mexicana).   | Prefers to lay eggs in<br>elderberries 2-8 inches in<br>diameter; some preference<br>shown for "stressed"<br>elderberries.                  | 8                    |

Project Species List

| Emys<br>marmorata                  | western pond<br>turtle             | Reptiles   | ARAAD02030 | 1404 | None       | None       | G3G4 | 53   |      | BLM_S-Sensitive   CDFW_SSC-<br>Species of Special Concern  <br>IUCN_VU-Vulnerable  <br>USFS_S-Sensitive                           | Aquatic   Artificial flowing waters   Klamath/North coast flowing waters   Klamath/North coast standing waters   Marsh & swamp   Sacramento/San Joaquin flowing waters   Sacramento/San Joaquin standing waters   South coast flowing waters   South coast standing waters   Wetland   | A thoroughly aquatic turtle of ponds, marshes, rivers, streams and irrigation ditches, usually with aquatic vegetation, below 6000 ft elevation. | Needs basking sites and<br>suitable (sandy banks or<br>grassy open fields) upland<br>habitat up to 0.5 km from<br>water for egg-laying. | 1  |
|------------------------------------|------------------------------------|------------|------------|------|------------|------------|------|------|------|---|--|--|---|----|
| Eryngium<br>spinosepalum           | spiny-sepaled<br>button-celery     | Dicots     | PDAPI0Z0Y0 | 108  | None       | None       | G2   | S2   | 1B.2 | BLM_S-Sensitive   | Valley & foothill grassland   Vernal pool   Wetland  | Vernal pools, valley and foothill grassland.   | Some sites on clay soil of granitic origin; vernal pools, within grassland. 15-1270 m.  | 1  |
| Imperata<br>brevifolia             | California<br>satintail            | Monocots   | PMPOA3D020 | 32   | None       | None       | G4   | S3   | 2B.1 | SB_CalBG/RSABG-<br>California/Rancho Santa Ana<br>Botanic Garden   SB_SBBG-<br>Santa Barbara Botanic Garden<br>  USFS_S-Sensitive | Chaparral   Coastal scrub   Meadow & seep   Mojavean<br>desert scrub   Riparian scrub   Wetland  | Coastal scrub, chaparral, riparian<br>scrub, mojavean desert scrub,<br>meadows and seeps (alkali),<br>riparian scrub.                            | Mesic sites, alkali seeps,<br>riparian areas. 3-1495 m.   | 1  |
| Lagophylla<br>dichotoma            | forked hare-<br>leaf               | Dicots     | PDAST5J070 | 7    | None       | None       | G2   | S2   | 1B.1 |   | Cismontane woodland   Valley & foothill grassland  | Cismontane woodland, valley and foothill grassland.  | Sometimes clay. 190-335<br>m.   | 1  |
| Leptosiphon<br>serrulatus          | Madera<br>leptosiphon              | Dicots     | PDPLM09130 | 27   | None       | None       | G3   | S3   | 1B.2 | BLM_S-Sensitive   USFS_S-<br>Sensitive  | Cismontane woodland   Lower montane coniferous forest  | Cismontane woodland, lower montane coniferous forest.  | Dry slopes; often on<br>decomposed granite in<br>woodland. 80-1645 m.   | 1  |
| Nannopterum<br>auritum             | double-<br>crested<br>cormorant    | Birds      | ABNFD01020 | 39   | None       | None       | G5   | S4   |      | CDFW_WL-Watch List  <br>IUCN_LC-Least Concern   | Riparian forest   Riparian scrub   Riparian woodland   | Colonial nester on coastal cliffs,<br>offshore islands, and along lake<br>margins in the interior of the<br>state.                               | Nests along coast on<br>sequestered islets, usually<br>on ground with sloping<br>surface, or in tall trees<br>along lake margins.       | 1  |
| Northern<br>Hardpan Vernal<br>Pool | Northern<br>Hardpan<br>Vernal Pool | Herbaceous | CTT44110CA | 126  | None       | None       | G3   | S3.1 |      |   | Vernal pool   Wetland  |  |   | 1  |
| Phrynosoma<br>blainvillii          |                                    | Reptiles   | ARACF12100 | 784  | None       | None       | G3G4 | S3S4 |      | BLM_S-Sensitive   CDFW_SSC-<br>Species of Special Concern  <br>IUCN_LC-Least Concern  | Chaparral   Cismontane woodland   Coastal bluff scrub<br>  Coastal scrub   Desert wash   Pinon & Juniper<br>woodlands   Riparian scrub   Riparian woodland  <br>Valley & foothill grassland  | Frequents a wide variety of<br>habitats, most common in<br>lowlands along sandy washes with<br>scattered low bushes.                             | Open areas for sunning,<br>bushes for cover, patches<br>of loose soil for burial, and<br>abundant supply of ants<br>and other insects.  | 1  |
| Pseudobahia<br>peirsonii           | San Joaquin<br>adobe<br>sunburst   | Dicots     | PDAST7P030 | 51   | Threatened | Endangered | G1   | S1   | 1B.1 | SB_CalBG/RSABG-<br>California/Rancho Santa Ana<br>Botanic Garden  | Cismontane woodland   Valley & foothill grassland  | Valley and foothill grassland, cismontane woodland.  | Grassy valley floors and rolling foothills in heavy clay soil. 115-795 m.   | 5  |
| Sagittaria<br>sanfordii            | Sanford's<br>arrowhead             | Monocots   | PMALI040Q0 | 143  | None       | None       | G3   | S3   | 1B.2 | BLM_S-Sensitive   | Marsh & swamp   Wetland  | Marshes and swamps.  | In standing or slow-moving<br>freshwater ponds,<br>marshes, and ditches. 0-<br>605 m.   | 4  |
| Spea<br>hammondii                  | western<br>spadefoot               | Amphibians | AAABF02020 | 1422 | None       | None       | G2G3 | S3   |      |   | Cismontane woodland   Coastal scrub   Valley & foothill grassland   Vernal pool   Wetland  | Occurs primarily in grassland habitats, but can be found in valley-foothill hardwood woodlands.  |   | 10 |
| Taxidea taxus                      | American<br>badger                 | Mammals    | AMAJF04010 | 594  | None       | None       | G5   | 53   |      | CDFW_SSC-Species of Special<br>Concern   IUCN_LC-Least<br>Concern   | Alkali marsh   Alkali playa   Alpine   Alpine dwarf scrub   Bog & fen   Brackish marsh   Broadleaved upland   forest   Chaparral   Chenopod scrub   Cismontane   woodland   Closed-cone coniferous forest   Coastal   bluff scrub   Coastal dunes   Coastal prairie   Coastal   scrub   Desert dunes   Desert wash   Freshwater marsh   Great Basin grassland   Great Basin scrub   Interior   dunes   Ione formation   Joshua tree woodland   Limestone   Lower montane coniferous forest   Marsh & swamp   Meadow & seep   Mojavean desert scrub   Montane dwarf scrub   North coast coniferous forest   Oldgrowth   Pavement plain   Redwood   Riparian   forest   Riparian scrub   Riparian woodland   Salt marsh   Sonoran desert scrub   Sonoran thorn woodland   Ultramafic   Upper montane coniferous forest   Upper   Sonoran scrub   Valley & foothill grassland | Most abundant in drier open stages of most shrub, forest, and herbaceous habitats, with friable soils.   | Needs sufficient food, friable soils and open, uncultivated ground. Preys on burrowing rodents. Digs burrows.                           | 1  |
| Tuctoria greenei                   | Greene's<br>tuctoria               | Monocots   | PMPOA6N010 | 50   | Endangered | Rare       | G1   | S1   | 1B.1 |   | Vernal pool   Wetland  | Vernal pools.  | Vernal pools in open grasslands. 25-1325 m.   | 3  |

Project Species List 3

| Vireo bellii              | least Bell's           | Birds   | ABPBW01114 | 504  | Endangered | Endangered | G5T2 | S2 | IUCN_NT-Near Threatened     | Riparian forest   Riparian scrub   Riparian woodland | Summer resident of Southern | Nests placed along margins   | 2 |
|---------------------------|------------------------|---------|------------|------|------------|------------|------|----|-----------------------------|--|-----------------------------|--|---|
| pusillus                  | vireo                  |         |            |      |            |            |      |    | NABCI_YWL-Yellow Watch List |  |                             |  |   |
| Vulpes macrotis<br>mutica | San Joaquin<br>kit fox | Mammals | AMAJA03041 | 1020 | Endangered | Threatened | G4T2 | S2 |                             |  | ,                           | Need loose-textured sandy soils for burrowing, and suitable prey base. | 1 |