

COV NTAUB NTAWV TSEEM CEEB TXOG KOJ TXOJ KEV SIV COV DEJ SIV (WATER) HAUS

Raws li tau txib los ntawm US Environmental Protection Agency (USEPA) Lead and Copper Rule (40 CFR Part 141 Subpart I), Lub Nroog Fresno Feem Ua Hauj Lwm Saib Xyuas Cov Khoom - Feem Txuas Cov Dej Siv yuav tsum tau hais qhia rau koj paub tias koj qhov kev thov txuas dej siv yog ib qho kev thov tseem tsis tau muaj kev lees paub tias muaj cov hmoov txhuas. Qhov no yog USEPA kev xaiv uas txhais tau hais tias, dhau los ntawm kev tshuaj xyuas cov ntaub ntawv thiab cov qauv, peb tsis tuaj yeem lees paub cov khoom siv ntawm cov yeeb nkab uas txuas koj lub tsev lossis lub tsev mus rau qhov chaw txuas mus rau Lub Nroog lub ntsiab dej. Lwm yam ntaub ntawv tuaj yeem mus saib nyob rau ntawm Lub Nroog Fresno tus vev xaib ntawm www.fresno.gov/servicelines.

Nim Qhuav Tsis Ntev No Lub Nroog Fresno Feem Ua Hauj Lwm Saib Xyuas Cov Khoom - Feem Txuas Cov Dej Siv tau ntsuam xyuas xu thawj ntawm cov thoj txuas dej siv, uas txuas mus siv hauv tsev, tsev loj ua twv (building), los sis lwm txoj hau kev ntawm lub nroog txuas dej siv. Lub hom phiaj ntawm cov khoom muag no yog txhawm rau txheeb xyuas cov khoom siv ntawm cov kab kev pab cuam no, muaj xws li cov seem uas yog tus tswv cov neeg siv khoom.

Qhov no txhais li cas rau koj cov khoom?

Cov kab kev pab cuam uas txuas rau koj cov khoom mus rau Lub Nroog txuas dej siv tau raug txheeb xyuas tias *tsis lees paub* cov khoom yom ntawv. Cov thoj txuas los sis cov thoj xeem kab xim qee hom tej zaum yuav ua rau muaj teeb meem txog qhov xeb tau. Yog li ntawv, koj yuav tsum tau sau hais qhia cov khoom koj xav tau ntawv.

Qhov no tsis yog qhov xwm txheej ceev.

Koj cov dej siv tseem muaj kev haus nyob nyab xeeb thiab tseem ua tau raws li tsoom fwv thiab lub xeev cov qauv dej siv haus. Koj tsis tas yuav siv lwm cov qhov dej, xws li cov dej hauv lub fwj.

Kev Txheeb Xyuas Ntawv Kev Pab Muab Kev Siv.

Raws li ib feem ntawm peb qhov kev sim niaj hnub no, Lub Nroog Fresno yuav saib xyuas tsis tu ncua ntawm lub lab npauv (system) cov khoom siv uas xeb. Hauv peb qhov kev ntsuas dej tsis ntev los no, thaum lub Kaum Hlis 2022, 90 feem pua ntawm cov hlau xeb ntawm qib ntsuas hauv qhov kev faib khoom yog *0.000 milligrams ntawm ib liter (mg/L)*, qhov uas qis tshaj ntawm qib ntsuas ntawm *0.015 mg/L* uas U.S. EPA tau ua tseg cia.

Muaj Peev Xwm Cuam Tshuam Kev Noj Qab Haus Huv Ntawm Cov Hlau Xeb Tau.

Kev tau txais raug cov hlau xeb hauv cov dej haus tuaj yeem ua rau txua tus neeg lub ces muaj teeb meem tau.

- *Cov me nyuam mos thiab me nyuam yaus tuaj yeem muaj qhov txa qis hauv IQ thiab kev saib xyuas. Kev tau txais raug hlau xeb tuaj yeem ua rau muaj teeb meem kev kawm thiab kev coj cwj pwm tshiab los sis ua rau kev kawm thiab coj cwj pwm uas twb muaj lawm muaj teeb meem tau.*
- *Cov me nyuam yaus uas cov poj niam yog tau raug cov hlau xeb (lead) ua ntej los sis thaum lub cev xeeb tub tuaj yeem muaj kev phom sij ntxiv rau kab mob plawv, ntshav siab, mob raum los sis teeb meem hauv lub paj hlwb.*

Yog tias koj muaj kev txhawj xeeb txog qhov dej huv ntawm koj cov dej siv, Lub Qhoos Kas (Program) Txog Kev Lees Paub NTsuab Saib Dej Siv Ntawm Cov Neeg Saib Xyuas Dej Siv Ntawm Nom Tswv muaj chawb ntsuas saib koj cov dej siv uas cov neeg siv yog tus them cov nqi, tuaj yeem mus saib tau hauv:
https://www.waterboards.ca.gov/drinking_water/certlic/labs/

Yog tias koj tseem muaj kev txhawj xeeb txog kev noj qab haus huv los ntawm kev tau txais raug cov hlau xeb (lead) hauv koj cov dej haus, kuj muaj cov khoom siv (POU) uas tuaj yeem siv tiv thaiv rau ntawm koj cov kais dej (water taps) ntxiv. Tuaj yeem mus saib cov npe cuab yeej (device) kho rau hauv tsev mus nrhiav tau ntawm:
https://www.waterboards.ca.gov/drinking_water/certlic/device/watertreatmentdevices.html

Yog tias koj muaj lwm yam teeb meem kev noj qab haus huv txog kev siv cov dej no, koj tuaj yeem sab laj nrog koj tus kws kho mob saib xyuas tau.

Cov kauj ruam txaus ntxiv mus rau hauv Peb Cov Kev Pab cuam Hloov Kho Txoj Hauj lwm.

Peb tau cog lus los txheeb xyuas thiab hloov cov thoj hlau xeb (lead) los sis xeem kab xim nyob hauv qab cov thoj rau dej siv los sis cov uas tau nyob ntaww lawm, nqes mus saib ntawm lub hau thoj dej saib xyuas kab hlau xeb. Lub Nroog ntawm Fresno yuav pib txheej txheem hu tias *Kev Xaiv Yam Li Sib Faib (Stratified Random Sampling)* kom uas txheeb xyuas ntxiv thiab sau cia cov khoom siv rau txoj kev muab kev saib xyuas. Yog tias koj cov thoj pab cuam tau txais muaj hlau xeb (lead) los sis cov khoom siv xeem kab xim (galvanized), peb cia siab tias yuav hloov lub Nroog lub thoj nyob rau xyoo 2030, raws li qhov xav tau los ntawm Lub Chaw Hauj lwm Dej Haus (DDW). Cov txheej txheem no yuav ua ceev dua tau yog tias koj hom phiaj npaj yuav hloov los sis hloov cov neeg siv khoom ntawm koj txoj kev pab cuam ua ntej no, qhov uas peb xav tau yuav hloov lub nroog qhov chaw tib lub sij hawm.

Koj Yuav Pab Tau Li Cas.

Yog tias koj tab tom muaj lub hom phiaj npaj hloov los sis hloov kho kev pab cuam ntawm cov neeg siv khoom ntawm koj cov cuab yeej, thov qhia rau Lub Nroog Fresno sai li sai tau. Qhov no yuav tso cai rau peb los tswj kev hloov pauv ntawm peb feem ntawm cov kev pab cuam yog tias tsim nyog. Tsis tas li ntawv, yog tias koj ntseeg tias cov khoom ntawm koj cov kev pab cuam tau raug muab faib tsis raug, thov hu rau peb sai li sai tau. Koj tseem tuaj yeem pab lub nroog txheeb xyuas koj khoom kev pab cuam tau. Yog xav paub txog kev txheeb xyuas hom kab kev pab cuam ntawm koj lub tsev, thov mus saib hauv US EPA's *Tiv Thaiv Koj Tus Kav Tso Dej* muaj phau ntawv qhia <https://www.epa.gov/pyt> los sis sab ntawm LSLR Collaborative cov kev pab cuam <https://www.lslr-collaborative.org/downloadable-resources.html>.

Saib Cvov Ntaub Ntawv Paub Ntxiv thiab Cov Kev Pab Cuam

Thov qhia cov ntaub ntawv no rau txhua tus neeg uas haus cov dej no, tshwj xeeb tshaj yog cov uas yuav tsis tau txais tsab ntawv ceeb toom no ncaj qha (piv txvv li, cov neeg nyob hauv tsev, tsev laus, tsev kawm ntawv, thiab kev lag luam). Koj tuaj yeem ua qhov no los ntawm kev tshaj tawm cov ntawv ceeb toom rau pej xeem hauv qhov chaw sawv daws mus saib tau los sis muab luam tawm nqa mus faib tawm tes los sis muab xa ntawv mus.

Daim ntawv ceeb toom no yog xa los ntawm: Lub Nroog Fresno Feem Txuas Dej Siv (Water Division)

Tus Nab Npawb Dej Siv Hauv Zos Yog: 1010007

Hnub Ceeb Toom: Lub kaum ib hlis 15, 2024